


## LEARNING RESOURCES



### Punctuation Quiz by Laura King, MA, ELS

**Directions:** Correctly punctuate the following sentences based on the information outlined in chapter 8 of the *AMA Manual of Style*. Some sentences contain more than 1 punctuation error. For further explanation of the correct answers, refer to the cited section of the online or print version of the *AMA Manual of Style*.

---

1. The question before us is “Is there sufficient evidence to justify clinical trials of imatinib in uveal melanoma”?
2. In this population-based prospective cross-sectional analysis we used magnetic resonance imaging to assess the presence and location of microbleeds.
3. If anticoagulant drugs predispose patients to symptomatic intracranial bleeding which usually has a major clinical impact these patients would have been less likely to be included in our population-based study.



Copyright © American Medical Association, 2009. For educational use only.

[www.amamanualofstyle.com](http://www.amamanualofstyle.com)

## LEARNING RESOURCES

4. The study took place from January 1 1989 through December 31 1989 and included 105 participants.
5. The patient was 12 years, 3 months of age.
6. We found that the sensitivity of the family history data was high, however, in our study the sensitivity was low.
7. We conducted a double-blind, randomized, controlled trial of healthy infants 2 to 6 months of age who were attending a shared pediatric community practice in Toronto Ontario Canada for their routine primary series of vaccinations.
8. John James Jr MD and Martin V. Smith III MD co-authored the study on Alzheimer disease.



Copyright © American Medical Association, 2009. For educational use only.

[www.amamanualofstyle.com](http://www.amamanualofstyle.com)

## **LEARNING RESOURCES**

- 9.** The number of children with human immunodeficiency virus related infection has increased markedly in developing countries because of the increasing number of human immunodeficiency virus infected women of childbearing age.
- 10.** Other therapies that have been tried include: systemic corticosteroids, topical retinoids, nicotinamide, pentoxifylline, aspirin and dipyridamole, clofazimine, hyperbaric oxygen, and fumaric acid esters.
- 11.** During the 12 to 14 day study period, we examined 32 patients with high blood pressure.
- 12.** Treatment of so-called “crush syndrome” includes resolution of limb swelling and reduction of edema.
- 13.** African-Americans with diabetes mellitus are at increased risk for heart disease.
- 14.** The study examined women in their early 40’s who had undergone hysterectomies in the previous 5 years.
- 15.** MEDLINE was searched for the following keywords: “diabetes,” “high blood pressure,” “heart disease,” and “overweight.”



Copyright © American Medical Association, 2009. For educational use only.